

Hole I.D.	From (ft.)	To (ft.)	Width		Wt. Avg. Grade (%eU3O8)
			Feet	Meters	
<u>Busfield Mine Area</u>					
BSF-380	14.0	24.0	10.0	3.0	0.042
BSF-381	15.0	25.0	10.0	3.0	0.020
BSF-C-403	11.0	19.0	8.0	2.4	0.024
BSF-C-405	1.0	6.0	5.0	1.5	0.032
	7.5	24.0	16.5	5.0	0.040
<u>Vickers Mine Area</u>					
BSF-524	96.5	99.5	3.0	0.9	0.032
<u>Quad Mine Area</u>					
BSF-C-364	16.0	22.0	6.0	1.8	0.081
BSF-C-365	8.5	14.5	6.0	1.8	0.038
BSF-C-374	21.0	25.0	4.0	1.2	0.030
<u>Clover Prospect</u>					
BSF-493	106.0	112.0	6.0	1.8	0.036
BSF-494	102.0	106.0	4.0	1.2	0.082
BSF-495	100.5	104.5	4.0	1.2	0.043
BSF-496	109.0	113.0	4.0	1.2	0.047
BSF-507	73.0	79.0	6.0	1.8	0.030
BSF-508	99.5	104.5	5.0	1.5	0.029
BSF-511	62.5	66.5	4.0	1.2	0.041
BSF-512	56.0	60.5	4.5	1.4	0.063
BSF-513	36.0	42.0	6.0	1.8	0.028
BSF-514	21.0	29.0	8.0	2.4	0.025
BSF-516	62.5	68.5	6.0	1.8	0.030
BSF-C-505	104.0	108.0	4.0	1.2	0.042
BSF-528	103.0	110.0	7.0	2.1	0.033
<u>Tract 41</u>					
T41-C-03	191.0	192.5	1.5	0.5	0.045
	249.5	252.0	2.5	0.8	0.105
T41-05	208.5	229.5	21.0	6.4	0.038
	364.5	375.5	11.0	3.4	0.071
T41-06	279.5	285.0	5.5	1.7	0.055
T41-07	266.0	270.0	4.0	1.2	0.095
	311.5	315.5	4.0	1.2	0.089
T41-08	261.5	266.5	5.0	1.5	0.030
T41-11	238.0	248.5	10.5	3.2	0.025
	249.0	252.5	3.5	1.1	0.025
	335.0	339.5	4.5	1.4	0.037
T41-12	329.0	332.5	3.5	1.1	0.030

Note: All U3O8 values are equivalent (radiometric) from bore hole gamma ray logging